

From: [Jeanne Briskin](#)
To: [Susan Mravik](#)
Subject: Re: Master Service Agreement
Date: 06/21/2012 07:05 PM

(b) (5) The co (not the contract specialist) should know what parts are cbi and which may be shared.

Sent by blackberry

▼ [Susan Mravik](#)

----- Original Message -----

From: Susan Mravik
Sent: 06/21/2012 05:36 PM CDT
To: Jeanne Briskin
Subject: Re: Master Service Agreement

I've asked the CO and the contractor. (b) (5)

Susan C. Mravik, Soil Scientist
Subsurface Remediation Branch
Ground Water and Ecosystems Restoration Division
National Risk Management Research Laboratory, USEPA
P.O. Box 1198 / 919 Kerr Research Dr.
Ada, OK 74820
580-436-8553 (fax 580-436-8703)

▼ [Jeanne Briskin](#)---06/21/2012 05:32:09 PM---(b) (5)

Sent by blackberry

From: Jeanne Briskin/DC/USEPA/US
To: Susan Mravik/ADA/USEPA/US@EPA
Date: 06/21/2012 05:32 PM
Subject: Re: Master Service Agreement

(b) (5)

Sent by blackberry

▼ [Susan Mravik](#)

----- Original Message -----

From: Susan Mravik
Sent: 06/21/2012 04:44 PM CDT
To: Jeanne Briskin
Subject: Re: Master Service Agreement

Thanks, Jeanne.

Susan C. Mravik, Soil Scientist
Subsurface Remediation Branch
Ground Water and Ecosystems Restoration Division
National Risk Management Research Laboratory, USEPA
P.O. Box 1198 / 919 Kerr Research Dr.
Ada, OK 74820
580-436-8553 (fax 580-436-8703)

▼ [Jeanne Briskin](#)---06/21/2012 04:43:02 PM---The msa is the contract. Sent by blackberry

From: Jeanne Briskin/DC/USEPA/US
To: Michael Overbay/R6/USEPA/US@EPA, Susan Mravik/ADA/USEPA/US@EPA, Doug Beak/ADA/USEPA/US@EPA
Cc: Stephen Hess/DC/USEPA/US@EPA
Date: 06/21/2012 04:43 PM
Subject: Re: Master Service Agreement

The msa is the contract.
Sent by blackberry

▼ Michael Overbay

----- Original Message -----

From: Michael Overbay
Sent: 06/21/2012 04:29 PM CDT
To: Susan Mravik; Doug Beak
Cc: Stephen Hess; Jeanne Briskin
Subject: Master Service Agreement

They brought up this MSA on the call on liability issues on June 12th.

(b) (5)

Michael Overbay, P.G.
Regional Ground Water Center Coordinator
U.S. Environmental Protection Agency - Region 6
(214)665-6482
(214)665-2191 (FAX)

----- Forwarded by Michael Overbay/R6/USEPA/US on 06/21/2012 04:25 PM -----

From: "Chris Hill (Regulatory)" <chris.hill@chk.com>
To: Michael Overbay/R6/USEPA/US@EPA
Cc: John Satterfield <john.satterfield@chk.com>, Stephanie Timmermeyer <stephanie.timmermeyer@chk.com>, Jeanne Briskin/DC/USEPA/US@EPA, David Jewett/ADA/USEPA/US@EPA, Susan Mravik/ADA/USEPA/US@EPA, Doug Beak/ADA/USEPA/US@EPA
Date: 06/15/2012 05:09 PM
Subject: RE: Follow-up on the liability issues

Hi Mike,

We appreciate you looking in to having CHK included as an additional insured within the Master Service Agreement (MSA) (or equivalent) between E&E and EPA, as requested during our conference call. After discussing this topic with CHK's Risk Management department, it appears a \$10MM value would be appropriate. The CHK RM department also requested a copy of the MSA (or equivalent) between E&E and EPA for their review. This additional information will provide a better understanding of the liabilities association with the project, which would be valuable for CHK to make an informed decision regarding our willingness to proceed with the project.

Please let me know if you have any questions.

Thank you,

Chris Hill

Environmental Engineer
Chesapeake Energy Corporation
Office: (405) 935-2321
Mobile: (405) 388-3907
Fax: (405) 849-2321
E-mail: Chris.Hill@chk.com

[yv80ACgAAAAAARGVzY3JpcHRpb246IERlY2xhcmUgZW5lcmd5IGluZGVwZW5kZW5jZQ==](#)

From: Michael Overbay [mailto:Overbay.Michael@epamail.epa.gov]
Sent: Friday, June 15, 2012 3:24 PM
To: Chris Hill (Regulatory)

Cc: John Satterfield; Stephanie Timmermeyer; Jeanne Briskin; David Jewett; Susan Mravik; Doug Beak
Subject: Follow-up on the liability issues

Hi Chris,

Just wanted to check in after our call earlier this week. We have E&E looking into the potential issuance of that insurance certificate naming Chesapeake as an additional insured (I think I have that term correct). Have y'all finished putting together the \$ value we talked about? Did John get any feedback from Chesapeake management about their willingness to proceed with the project under the liability scenarios we discussed?

Hope all is well.

Mike

Michael Overbay, P.G.
Regional Ground Water Center Coordinator
U.S. Environmental Protection Agency - Region 6
(214)665-6482
(214)665-2191 (FAX)

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is confidential or privileged and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).